ALG II - Ch. 1 Test Review

✓ Use when you get it right all by yourself
 S Use when you did it all by yourself, but made a silly mistake
 H Use when you could do it alone with a little help from teacher or peer
 G Use when you completed the problem in a group


X Use when a question was attempted but wrong (get help)

NUse when a question was not even attempted


CONCEPTS	BASIC	INTERMEDIATE	ADVANCED	
Graphing lines, absolute values, quadratics, & constants, scatterplots	4	1,2, 15, 16	3	
Identifying transformations from the parent function	2, 5 - 9	1, 10	3, 4, 11, 12	
Domain & Range in Interval Notation	4	1, 2	3	
Solving Three Variable Systems	13	14		
Creating a Line of Best Fit by hand & on the calculator		15, 16		
Predicting with the line of best fit	15, 16			

1-4: Graph the function given <u>and</u> its parent function. Then describe the transformation <u>from</u> the parent function and the domain and range, in interval notation, of the new function.

1.
$$f(x) = |x - 3|$$




2.
$$f(x) = x^2 - 4$$



Transformations: -> 3U

Domain: $(-\infty, \infty)$

Range: [0, \infty]



Transformations: HC \(\frac{1}{2}, \psi 3u \)

Domain: (-∞, ∞)


Range: [-3, ∞)

Transformations: 44 4

Domain: $(-\infty, \infty)$

Range: $[-4,\infty)$

4. $g(x) = -\frac{1}{2}x + 1 = -\frac{1}{2}(x - 2)$



Transformations: R_{χ} , $VC^{\frac{1}{2}} \rightarrow 24$

Domain: (- «, «)

Range: $(-\infty, \infty)$

5 – 12: Write a function g(x) whose graph represents the indicated transformation of the

5.
$$f(x) = 3x$$
; translation 4 units up

g(x) =
$$f(x)+4$$
 $g(x)=3x+4$

6. f(x) = |2x| + 3, translation down 2 units

$$g(x) = f(x) - 2$$
 $g(x) = |2x| + 3 - 2$ $g(x) = |2x| + 1$

7. f(x) = x + 3, reflection over the y-axis

$$g(x) = f(-x)$$

$$9(x) = (-x) + 3$$

$$g(x) = (-x) + 3$$
 $g(x) = -x + 3$

8. $f(x) = \frac{2}{3}x - 4$, reflection over the x-axis

$$g(x) = -f(x)$$

$$g(x) = -\left(\frac{2}{3}x - 4\right)$$

$$g(x) = -f(x)$$
 $g(x) = -(\frac{2}{3}x-4)$ $g(x) = -\frac{2}{3}x+4$

9. f(x) = -2|x-2| + 4, vertical stretch by a factor of 2

$$g(x) = 2f(x)$$
 $g(x) = 2[-2|x-2|+4]$ $g(x) = -4|x-2|+8$
= $2[-2|x-2|+4]$

10.
$$f(x) = |3x| + 2$$
, horizontal compression by a factor of $\frac{1}{3}$

$$g(x) = f(3x)$$

$$g(x) = |3(3)x| + 2$$


11. $f(x) = x$, translation 5 units up followed by a vertical compression by a factor of $\frac{1}{4}$

$$g(x) = \frac{1}{4}f(x) + 5$$

$$g(x) = \frac{1}{4}f(x) + \frac{1}{4}f($$

14₁)
$$x + 4y - 3z = 1$$
 (-3)
2) $3x + 12y - 9z = 8$
3) $2x + 4y - 4z = -12$ (-1) 4) $-x + z = 13$
2) $8x + 12y + 9z = 8$
3) $-2x - 4y + 4z = 12$
1) $-3x - 12y + 9z = 8$
1) $-3x - 12y + 9z = 8$
1) $-3x - 12y + 9z = 8$
1) $-3x - 12y + 9z = 8$

not a true statement



15 - 16: Write the equation of the line of best fit, state the correlation (r), and then use your equation to predict for the future.

15. Farmers will sometimes hold their crops from market until the price goes up to a level they think is satisfactory. The table below records the price per bushel and how many thousand bushels of wheat were sold at the price during a 10-day selling period in lowa.


Price (\$ per bushel)	3.84	3.66	3.87	3.96	3.6	4.05	3.63	3.6	3.72	3.87
Bushels Sold (1000s)	50	47	38	28	49	23	47	46	39	42

A. Draw a scatterplot and create a prediction equation (line of best fit) for the data.

B. If the market price of wheat is \$3.90/bushel next week, how many bushels of wheat can you predict will be sold?

$$X = 3.90$$

 $y = -46.354(3.90) + 216.119$
 $= 1550.719$




50,000 bushels | Price

16. The table below shows the age and systolic blood pressure for a group of people who recently donated blood.


AGE	35	24	48	50	34	55	30	26	41	37
Blood Pressure	128	108	140	135	119	146	132	104	132	121


A. Draw a scatter plot to show how age and systolic blood pressure are related.



$$y = 1.133 \times + 83.457$$

C. Find the approximate blood pressure of a person 54 years of age.





blood pressure of 145